L	Hits	Search Text	DB	Time stamp
Number	10	//UE OF A FEQUE /UE FAG FAGUE	HCDAE	2004/00/24
1	10	(("5,854,553") or ("5,541,510") or ("5,339,031") or ("5,332,966") or ("5,247,253") or ("5,182,513") or ("5,058,434") or ("5,055,784") or ("4,847,556") or ("4,833,405")).PN.	USPAT .	2004/09/24
10	1	Scott with Hoyte) (Jeremiah with Ferguson	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/24
11	151	-	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24
12	207	((("5,854,553") or ("5,541,510") or ("5,339,031") or ("5,332,966") or ("5,247,253") or ("5,182,513") or ("5,058,434") or ("5,055,784") or ("4,847,556") or ("4,833,405")).PN.) (("2928043" "2939073" "3358225" "3496458" "3619805" "3718855" "4109199" "4186792" "4215310" "4290017" "4314203" "4438754" "4596953" "4644271" "4644274" "4673877" "4727322" "4755753" "4814702" "4816759" "4829250" "4849693" "4864235" "4922201" "4924182" "5394084").PN.) 5541510.URPN. (Scott with Hoyte) (Jeremiah with Ferguson) (bently with nevada)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 12:44
13	. 0	l	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 12:46

				T-001/00/01
14	0	(((("5,854,553") or ("5,541,510") or	USPAT;	2004/09/24
		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:54
		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM_TDB	
		(("2928043" "2939073" "3358225"		
		"3496458" "3619805" "3718855"		
		"4109199" "4186792" "4215310"		
		"4290017" "4314203" "4438754"		
		"4596953" "4644271" "4644274"		1
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN.		
		(Scott with Hoyte) (Jeremiah with	,	
		Ferguson) (bently with nevada)) and		1
		(normalized with impedance) and (time	İ	
	120	near rate) and ((correct correcting	1	
		correction corrected) with (gap	1	
		distance)) and ((measure measuring		
		measured measurement) same (gap distance)		
	_	same (transducer sensor) same target)		2004/20/24
15	7		USPAT;	2004/09/24
		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:47
		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM_TDB	
		(("2928043" "2939073" "3358225"	1	
		"3496458" "3619805" "3718855" "4100100" "4106700" "4315310"		
]	"4109199" "4186792" "4215310" "4200017" "4314202" "4439754"		
'	1	"4290017" "4314203" "4438754"		<u> </u>
		"4596953" "4644271" "4644274" "4673877" "47373732" "4755753"		
		"4673877" "4727322" "4755753" "4814702" "4816750" "4820250"		
	ŀ	"4814702" "4816759" "4829250" "4840603" "4864235" "48232301"		
		"4849693" "4864235" "4922201" "4924182" "5394084").PN.) 5541510.URPN.		
		(Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and ((measure measuring measured measurement)		
	1	((measure measuring measured measurement) same (gap distance) same (transducer		
		same (gap distance) same (transducer sensor) same target)		
16	۰ ا	(((("5,854,553") or ("5,541,510") or	USPAT;	2004/09/24
1 10	١	("5,339,031") or ("5,332,966") or	US-PGPUB;	12:49
		("5,247,253") or ("5,182,513") or	EPO; JPO;	12.15
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM TDB	
		(("2928043" "2939073" "3358225"		
		"3496458" "3619805" "3718855"		
		"4109199" "4186792" "4215310"		
		"4290017" "4314203" "4438754"		•
		"4596953" "4644271" "4644274"		
	ł	"4673877" "4727322" `"4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN.		
		(Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and		1
		(normalized with impedance) and (time		
100		near rate) and ((correct correcting		
		correction corrected) with (gap		
		distance))	· .	
		· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	*

17	7	(((("5,854,553") or ("5,541,510") or	USPAT;	2004/09/24
		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:52
		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM TDB	
		(("2928043" "2939073" "3358225"	15	i
		"3496458" "3619805" "3718855"		
		"4109199" "4186792" "4215310" "4202217" "4314222" "4422754"		
	1	"4290017" "4314203" "4438754"		
		"4596953" "4644271" "4644274"		-
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		İ
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN.		ĺ
		(Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and		
		(normalized with impedance) and ((timing		
		time) with rate) and ((correct correcting		
		correction corrected) with (gap		,
		distance))	`	
10		, , ,	IICDAM.	2004/00/24
18	0	(((- / / / / - / - / - / -	USPAT;	2004/09/24
		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:50
		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM_TDB	·
		(("2928043" "2939073" "3358225"	_	
		"3496458" "3619805" "3718855"		
		"4109199" "4186792" "4215310"		
		"4290017" "4314203" "4438754"		
		"4596953" "4644271" "4644274"		
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN.		
		(Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and		
		((normalized with impedance) same		
		((timing time) with rate) same ((correct		·
		correcting correction corrected) with		
		(gap distance)))		
19	0	(((("5,854,553") or ("5,541,510") or	USPAT;	2004/09/24
1		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:53
l		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or	DERWENT;	
		("4,847,556") or ("4,833,405")).PN.)	IBM TDB	
		(("2928043" "2939073" "3358225"	******	
	[((2926043 2939073 3336223 "3496458" "3619805" "3718855"		
				·
		"4109199" "4186792" "4215310"		
		"4290017" "4314203" "4438754"		ţ
		"4596953" "4644271" "4644274"		
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN.		\
•		(Scott with Hoyte) (Jeremiah with		
]	Ferguson) (bently with nevada)) and		
1		(normalized with impedance) and ((timing		
		time) with rate) and ((correct correcting		
1		correction corrected) with (gap	,	
1	1	distance)) and (lift with off)		l
L	 	1	I	I

	,	,		
20	1	(((("5,854,553") or ("5,541,510") or ("5,339,031") or ("5,332,966") or ("5,247,253") or ("5,182,513") or	USPAT; US-PGPUB; EPO; JPO;	2004/09/24 12:53
		("5,058,434") or ("5,055,784") or	DERWENT;	·
		("4,847,556") or ("4,833,405")).PN.)	IBM_TDB	
]		(("2928043" "2939073" "3358225"		
]		"3496458" "3619805" "3718855" "4100100" "4186702" "4215210"		
		"4109199" "4186792" "4215310" "4290017" "4314203" "4438754"	•	
		"4596953" "4644271" "4644274"		
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201" "4924182" "5394084").PN.) 5541510.URPN.		
		(Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and		
		(normalized with impedance) and ((correct		
		correcting correction corrected) with (gap distance)) and (lift with off)		
21	3	(((("5,854,553") or ("5,541,510") or	USPAT;	2004/09/24
		("5,339,031") or ("5,332,966") or	US-PGPUB;	12:53
		("5,247,253") or ("5,182,513") or	EPO; JPO;	
		("5,058,434") or ("5,055,784") or ("4,847,556") or ("4,833,405")).PN.)	DERWENT; IBM TDB	
		(("2928043" "2939073" "3358225"	IBM_IDB	
		"3496458" "3619805" "3718855"		
		"4109199" "4186792" "4215310"		
		"4290017" "4314203" "4438754" "4596953" "4644271" "4644274"		
		"4673877" "4727322" "4755753"		
		"4814702" "4816759" "4829250"		
		"4849693" "4864235" "4922201"		
		"4924182" "5394084").PN.) 5541510.URPN. (Scott with Hoyte) (Jeremiah with		
		Ferguson) (bently with nevada)) and		
		(normalized with impedance) and (lift		
		with off)	TTGDAM -	2004/00/24
22	0	(normalized with impedance) and (time near rate) and ((correct correcting	USPAT; US-PGPUB;	2004/09/24
ļ		correction corrected) with (gap	EPO; JPO;	
		distance)) and ((measure measuring	DERWENT;	
		measured measurement) same (gap distance)	IBM_TDB	
23	8	same (transducer sensor) same target) (bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance)	US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT; IBM TDB	
24	0	 (bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance) and (lift with (off up))	US-PGPUB;	13:27
		·	EPO; JPO;	
			DERWENT; IBM TDB	
25	7	(bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance) and ((time timing) with	US-PGPUB;	13:07
	1	change)	EPO; JPO;	
		·	DERWENT; IBM TDB	
27	8	(USPAT;	2004/09/24
		with impedance) same ((correct correcting	US-PGPUB;	13:08
		corrected correction) with (gap	EPO; JPO; DERWENT;	
		distance)))	IBM TDB	
26	8	[(USPĀT;	2004/09/24
		impedance) and ((correct correcting	US-PGPUB;	13:16
		corrected correction) with (gap distance))	EPO; JPO; DERWENT;	
		albeance;	IBM TDB	
<u> </u>		<u> </u>	·	

33	501	(("6346807") or ("6330831") or	USPAT	2004/09/24
33	30	("4321696") or ("5308724") or ("5832412")	USERI	13:21
		or ("4311922") or ("4819621") or		13.21
		("4933919") or ("5914593") or ("6451044")		
	1	or ("6287765") or ("5381067") or		
		("4862752") or ("5602711") or ("6664782")		
		or ("6703843") or ("6727687") or		
		("6727688") or ("6756794") or ("6765395")		
		or ("4245558") or ("4629927") or		
		("5638822") or ("6111339") or ("4081706")		
		or ("4244227") or ("4269070") or		
		("4275597") or ("4300813") or ("4322974")		
		or ("4329876") or ("4383209") or		
]	("4421384") or ("4467273") or ("4476549")		
		or ("4486114") or ("4546343") or		
		("4552021") or ("4566331") or ("4580251")		İ
		or ("RE32746") or ("4930507") or		
		("4943771") or ("4962754") or ("4970907")		
		or ("4992692") or ("4993416") or		
		("5198713") or ("5335209") or		
1		("5355888")).PN.		
34	8	(bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance) and ((correct correcting	US-PGPUB;	13:28
}		correction corrected) with (gap	EPO; JPO;	
	1	distance))	DERWENT;	,
· ·			IBM_TDB	
35	7	(bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance) and ((correcting correction	US-PGPUB;	13:28
		corrected) with (gap distance))	EPO; JPO;	
	,	•	DERWENT;	
			IBM_TDB	
36	7	(bently with nevada) and (normalized with	USPAT;	2004/09/24
		impedance) and ((correct correcting	US-PGPUB;	13:31
1		correction corrected) near (gap	EPO; JPO;	
		distance))	DERWENT;	
1 2 7	_	//	IBM_TDB USPAT;	2004/09/24
37	7	(bently with nevada) and (normalized with	USPAT; US-PGPUB;	13:32
		impedance) and ((compensate compensating	EPO; JPO;	13.32
		compensation correct correcting correction corrected) near (gap	DERWENT;	
		distance))	IBM TDB	
38	7		USPAT;	2004/09/24
30	'	impedance) and ((compensate compensating	US-PGPUB;	13:32
	1	compensation) near (gap distance))	EPO; JPO;	
		Compensation, near (gap arstance)	DERWENT;	'
			IBM TDB	
1	1		1	

PLUS Search Results for S/N 10723496, Searched September 24, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated sear ch

system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that a re

most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

10723496_LIST

4486114
4546343
4552021
4566331
4580251
RE32746
4930507
4943771
4962754
4970907
4992692
4993416
5198713
5335209
5355888